

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(US-20050033988-\$).did.	US-PGPUB	OR	OFF	2009/07/02 11:18
L2	1	L1 and (header with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/07/02 11:18
L3	1	(US-20020083191-\$).did.	US-PGPUB	OR	OFF	2009/07/02 11:34
L4	0	3 and ((header or url) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/07/02 11:34
S1	1	("6993661").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/16 12:01
S2	65880	nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 12:02
S3	803	S2 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:03
S4	139	S3 and (file near3 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:03
S5	139	S3 and (file near3 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:04
S6	139	S5 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:05
S7	106	S6 and meta\$1data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:13
S8	5	S7 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:05

S9	101	S7 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:13
S10	51	("6324581").URPN.	USPAT	OR	OFF	2007/02/16 12:35
S11	17	S10 and (file with handle)	USPAT	OR	ON	2007/02/16 12:35
S12	2	S11 and proxy	USPAT	OR	ON	2007/02/16 12:36
S13	2	S12 and (nfs or "network file system")	USPAT	OR	ON	2007/02/16 12:36
S14	1	(US-6324581-\$).did.	USPAT	OR	OFF	2007/02/16 12:42
S15	0	S14 and timer	USPAT	OR	ON	2007/02/16 12:42
S16	1	S14 and tim\$3	USPAT	OR	ON	2007/02/16 12:42
S17	1	(US-6324581-\$).did.	USPAT	OR	OFF	2007/02/16 14:32
S18	1	S17 and exchang\$3	USPAT	OR	OFF	2007/02/16 14:40
S19	1	S17 and (file with handle) and id	USPAT	OR	OFF	2007/02/16 14:40
S20	1	S17 and (file with handle) and id	USPAT	OR	ON	2007/02/16 14:40
S21	1	S17 and ((file with handle) same id)	USPAT	OR	ON	2007/02/16 15:07
S22	1	S17 and nfs	USPAT	OR	ON	2007/02/16 15:21
S23	0	S17 and stateless	USPAT	OR	ON	2007/02/16 15:21
S24	1	S17 and protocol	USPAT	OR	ON	2007/02/16 15:28
S25	0	S17 and (meta\$1data with file near3 handle))	USPAT	OR	ON	2007/02/16 15:29
S26	0	S17 and (meta\$1data with file with handle)	USPAT	OR	ON	2007/02/16 15:29
S27	1	S17 and (meta\$1data same (file with handle))	USPAT	OR	ON	2007/02/16 15:31
S28	1	S17 and (file with handle)	USPAT	OR	ON	2007/02/16 15:31
S29	1	(US-6324581-\$).did.	USPAT	OR	OFF	2007/07/24 14:44
S30	1	S29 and (file with handle)	USPAT	OR	ON	2007/07/24 14:47

S31	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/24 14:47
S32	1	S31 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/24 14:47
S33	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/08/04 20:48
S34	1	S33 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/08/04 20:48
S35	62	("6324581").URPN.	USPAT	OR	OFF	2007/08/04 20:48
S36	5	(US-20040255048-\$ or US-20040162808-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/27 20:58
S37	5	S36 and nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S38	0	S37 and (session near2 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S39	2	S37 and (session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S40	0	S36 and (file with handle with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:05
S41	5	S36 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:08
S42	5	S36 and (file near2 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:08
S43	5	(US-20040255048-\$ or US-20040162808-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 11:05

S44	0	S43 and (file with handle with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:17
S45	3	nfs and ((file near1 handle) with (session near2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:18
S46	2	S45 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:22
S47	1	(US-20050091487-\$).did.	US-PGPUB	OR	OFF	2008/02/28 11:35
S48	3	S45 and5 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:35
S49	1	S47 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:35
S50	0	S47 and (session with key with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:36
S51	1	S47 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:36
S52	1	S47 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:39
S53	0	S47 and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:40
S54	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/28 11:43
S55	1	S54 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:44
S56	1	S54 and (file with identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:44

S57	1	S54 and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:45
S58	0	S54 and ("not" with send \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46
S59	0	S54 and ("doesn't" with send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46
S60	0	S54 and (eliminat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46
S61	1	S54 and (eliminat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:47
S62	1	proxy with (file near2 (header or handle)) with (session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:48
S63	92	nfs and ((session near2 key) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:49
S64	67	S63 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S65	41	S64 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S66	41	S65 and server and client	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S67	0	S66 and ((session near2 key) with time with expir \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:51
S68	41	S66 and ((session near2 key) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:56
S69	21	nfs and (proxy with (file near2 (handle or header)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 12:18

S70	16	S69 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 12:18
S71	0	bojinov-h.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:00
S72	0	horashi-i.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S73	0	hiroshi-i.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S74	0	hiroshi-i.in. and ("the file handle" near1 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S75	0	wood-robert.in. and ("the file handle" near1 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S76	0	wood-robert.in. and ("the file handle" near2 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S77	0	plotkin.in. and ("the file handle" near2 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S78	314	plotkin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S79	29	plotkin-serge.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S80	5	S79 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S81	0	S79 and metadata	USPAT	OR	ON	2008/02/28 13:03
S82	1	(US-20050033988-\$).did.	US-PGPUB	OR	OFF	2008/02/28 14:14

S83	0	S82 and ((receive\$3 or send \$3 or sent) with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:14
S84	0	S82 and (request with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:15
S85	1	S82 and (request\$3 with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:15
S86	1	S82 and nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:36
S87	0	S82 and stateless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:37
S88	1	S82 and (key with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:57
S89	0	S82 and (session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:58
S90	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/28 15:01
S91	0	S90 and ("not" with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:09
S92	1	S90 and (send\$3 with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:09
S93	1	S90 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:45

S94	9	(US-20040255048-\$ or US-20040162808-\$ or US-20050091487-\$ or US-20040123159-\$ or US-20050033988-\$ or US-20040054777-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 18:56
S95	0	S94 and (session with key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 18:58
S96	184	(session near2 key) with expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:00
S97	3	(session near2 key) with expir\$5 with file	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:00
S98	1633	(session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:01
S99	92	nfs and (session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:21
S100	62	S99 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:21
S101	38	S100 and (expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22
S102	33	S100 and (session with expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22
S103	3	S100 and (session with key with expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22
S104	1	("7199726").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:30

S105	1	("6199726").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:30
S106	1	("7225207").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:37
S107	1	S106 and usage	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 11:54
S108	1	S106 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 11:56
S109	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 13:24
S110	1	S109 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:24
S111	1	S109 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:25
S112	0	S109 and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:30
S113	0	S109 and (readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:30
S114	0	S109 and (signal or carrier or wave)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:32
S115	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/09/16 22:09
S116	0	S115 and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 22:10
S117	1	S115 and (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 22:10

S118	1	(US-20050033988-\$).did.	US-PGPUB	OR	OFF	2008/09/16 23:05
S119	1	S118 and ((permis\$5 or authenticat\$4 or authori\$4) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 23:07
S120	98	nfs and (session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 23:27
S121	63	S120 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 23:27
S122	33	S121 and (session with expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/09/16 23:27
S123	100	("6324581").URPN.	USPAT	OR	OFF	2008/09/16 23:29
S124	34	S123 and (file with handle)	USPAT	OR	ON	2008/09/16 23:29
S125	3	S124 and proxy	USPAT	OR	ON	2008/09/16 23:29
S126	3	S125 and (nfs or "network file system")	USPAT	OR	ON	2008/09/16 23:29
S127	9	(US-20040255048-\$ or US-20040162808-\$ or US-20050091487-\$ or US-20040123159-\$ or US-20050033988-\$ or US-20040054777-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/02/11 16:57
S128	0	S127 and (proxy near4 meta\$1data near4 client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 16:57
S129	2	S127 and (proxy with meta\$1data with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 16:58
S130	3	S127 and (directory with meta\$1data with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:02
S131	1	("6993661").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/02/11 17:10

S132	0	S131 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:11
S133	0	S131 and meta\$1data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:11
S134	11	((proxy near4 (insert\$3 or add\$4 or attach\$4) near4 meta\$1data) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:21
S135	37	((proxy near4 (insert\$3 or add\$4 or attach\$4 or includ \$4 or inclusion) near4 meta \$1data) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:22
S136	17	S135 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:23
S137	0	S136 and (((proxy near4 (insert\$3 or add\$4 or attach\$4) near4 meta \$1data) with client with (handle\$1 or header)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:24
S138	0	S136 and (((proxy near4 (insert\$3 or add\$4 or attach\$4) near4 meta \$1data) with client with (file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:24
S139	0	("6944760").URPN.	USPAT	OR	OFF	2009/02/11 17:36
S140	1	("2005/0033988").URPN.	USPAT	OR	OFF	2009/02/11 17:37
S141	72	(proxy with (insert\$3 or add\$4 or attach\$4 or includ \$4 or inclusion) with meta \$1data with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:41
S142	27	S141 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:41
S143	10	S142 not S136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:41
S144	0	S143 and (proxy with (insert\$3 or add\$4 or attach\$4 or includ\$4 or inclusion) with meta\$1data with client with (forward\$4 or send\$4 or sent))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:58

S145	3	S143 and ((proxy with (insert\$3 or add\$4 or attach\$4 or includ\$4 or inclusion) with meta \$1data) same (client with (forward\$4 or send\$4 or sent)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 17:59
S146	3	S143 and ((proxy with (insert\$3 or add\$4 or attach\$4 or includ\$4 or inclusion) with meta \$1data) same (client with (forward\$4 or send\$4 or sent or transmi\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 18:10
S147	49	((proxy with (insert\$3 or add\$4 or attach\$4 or includ\$4 or inclusion) with meta \$1data) same (client with (forward\$4 or send\$4 or sent or transmi\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 18:11
S148	21	S147 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 18:11
S149	34	S147 not S136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 18:11
S150	6	S148 not S136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/11 18:12
S151	1	(US-20020078201-\$).did.	US-PGPUB	OR	OFF	2009/02/12 19:18
S152	1	(US-20020078201-\$).did.	US-PGPUB	OR	OFF	2009/02/12 19:26
S153	969384	S151 nd (embedd\$4 with meta\$1data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/12 19:27
S154	1	S151 and (embedd\$4 with meta\$1data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/02/12 19:27
S155	1	(US-20050033988-\$).did.	US-PGPUB	OR	OFF	2009/02/12 21:53
S156	1	S155 and (size or length)	US-PGPUB	OR	ON	2009/02/12 21:53
S157	28820	(embedd\$4 or insert\$5 or added or adding) near4 (((file near1 handle) or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:14

S158	17695	S157 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:14
S159	28820	((embedd\$4 or insert\$5 or added or adding) near4 ((file near1 handle) or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:15
S160	198	proxy with ((embedd\$4 or insert\$5 or added or adding) near4 ((file near1 handle) or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:15
S161	88	S160 and @ad< "20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:15
S162	62	S161 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:16
S163	23	S162 and (proxy with client with (header or (file near1 handle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:17
S164	14	S162 and (proxy with client with (send\$4 or sent or transmi\$6) with (header or (file near1 handle)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/06/30 12:19
S165	1	(US-20020083191-\$).did.	US-PGPUB	OR	OFF	2009/07/01 21:51
S166	1	S165 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/07/01 21:53
S167	1	S165 and (session same (time or expirat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/07/01 21:54
S168	1	(US-20050033988-\$).did.	US-PGPUB	OR	OFF	2009/07/01 22:39
S169	1	S168 and (header with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/07/01 22:39

7/ 2/ 2009 11:59:35 AM

C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10803788.wsp